





**Aluminium** [AlMg2,5/3,5]

Polished



**Steel**

Zinc plated



## open type I dome head



$\varnothing d$	$l$		Item nr.	$\varnothing d_k$	$k$	$\varnothing d_m$	$p$		
[mm]	[mm]	[mm]		[mm]	[mm]	[mm]	[mm]	[N]	[N]
<b>2,4</b>	4,0	~2,0	<b>10312404</b>						
[+0,08/-0,10]	6,0	2,0-4,0	<b>2406</b>	5,0	0,7	~1,45	≥27	355	315
	8,0	4,0-6,0	<b>2408</b>	[+0/-0,7]	[+/-0,15]				
$\varnothing 2,5$	10,0	6,0-8,0	<b>2410</b>						
<b>3,0</b>	4,0	~1,5	<b>10313004</b>						
[+0,08/-0,10]	6,0	1,5-3,5	<b>3006</b>						
	8,0	3,5-5,5	<b>3008</b>						
$\varnothing 3,1$	10,0	5,5-7,5	<b>3010</b>	6,5	0,8	~1,75	≥27	810	620
	12,0	7,5-9,5	<b>3012</b>	[+0/-0,7]	[+/-0,2]				
	14,0	9,5-11,5	<b>3014</b>						
	16,0	11,5-13,5	<b>3016</b>						
<b>3,2</b>	4,0	~1,5	<b>10313204</b>						
[+0,08/-0,10]	6,0	1,5-3,5	<b>3206</b>						
	8,0	3,5-5,5	<b>3208</b>						
$\varnothing 3,3$	10,0	5,5-7,5	<b>3210</b>	6,5	0,8	~1,75	≥27	980	760
	12,0	7,5-9,5	<b>3212</b>	[+0/-0,7]	[+/-0,2]				
	14,0	9,5-11,5	<b>3214</b>						
	16,0	11,5-13,5	<b>3216</b>						
	18,0	13,5-15,5	<b>3218</b>						
	20,0	15,5-17,5	<b>3220</b>						
<b>4,0</b>	6,0	1,5-3,0	<b>10314006</b>						
[+0,08/-0,15]	8,0	3,0-5,0	<b>4008</b>						
	10,0	5,0-6,5	<b>4010</b>						
$\varnothing 4,1$	12,0	6,5-8,5	<b>4012</b>						
	14,0	8,5-10,5	<b>4014</b>	8,0	1,0	~2,10	≥27	1.600	1.200
	16,0	10,5-12,5	<b>4016</b>	[+0/-1,0]	[+/-0,3]				
	18,0	12,5-14,5	<b>4018</b>						
	20,0	14,5-16,5	<b>4020</b>						
	23,0	16,5-19,0	<b>4023</b>						
	25,0	19,0-21,5	<b>4025</b>						



**Aluminium** [AlMg2,5/3,5]  
Polished



**Steel**  
Zinc plated



## open type | dome head



Ø d	l		Item nr.	Ø d <sub>k</sub>	k	Ø d <sub>m</sub>	p		
[mm]	[mm]	[mm]		[mm]	[mm]	[mm]	[mm]	[N]	[N]
<b>4,8</b>	6,0	1,0-3,0	<b>10314806</b>						
[+0,08/-0,15]	8,0	3,0-4,5	<b>4808</b>						
	10,0	4,5-6,0	<b>4810</b>						
Ø 4,9	12,0	6,0-8,0	<b>4812</b>						
	14,0	8,0-10,0	<b>4814</b>						
	16,0	10,0-12,0	<b>4816</b>						
	18,0	12,0-14,0	<b>4818</b>						
	20,0	14,0-16,0	<b>4820</b>	9,5 [+0/-1,0]	1,1 [+/- 0,3]	~2,70	≥27	2.230	1.690
	22,0	16,0-18,0	<b>4822</b>						
	25,0	18,0-21,0	<b>4825</b>						
	28,0	21,0-23,5	<b>4828</b>						
	30,0	23,5-25,0	<b>4830</b>						
	35,0	25,0-30,0	<b>4835</b>						
	40,0	30,0-35,0	<b>4840</b>						
<b>5,0</b>	6,0	1,0-3,0	<b>10315006</b>						
[+0,08/-0,15]	8,0	3,0-4,5	<b>5008</b>						
	10,0	4,5-6,0	<b>5010</b>						
Ø 5,1	12,0	6,0-8,0	<b>5012</b>						
	14,0	8,0-10,0	<b>5014</b>						
	16,0	10,0-12,0	<b>5016</b>						
	18,0	12,0-14,0	<b>5018</b>	9,5 [+0/-1,0]	1,1 [+/- 0,3]	~2,70	≥27	2.500	2.000
	21,0	14,0-17,0	<b>5021</b>						
	25,0	17,0-20,0	<b>5025</b>						
	27,0	20,0-23,0	<b>5027</b>						
	30,0	23,0-25,0	<b>5030</b>						
	35,0	25,0-30,0	<b>5035</b>						
	40,0	30,0-35,0	<b>5040</b>						
<b>6,0</b>	8,0	2,0-4,0	<b>10316008</b>						
[+0,08/-0,15]	10,0	4,0-6,0	<b>6010</b>						
	12,0	6,0-8,0	<b>6012</b>						
Ø 6,1	14,0	7,0-9,0	<b>6014</b>						
	16,0	9,0-11,0	<b>6016</b>	12,0 [+0/-1,5]	1,5 [+/- 0,4]	~3,60	≥31	3.900	3.000
	18,0	11,0-13,0	<b>6018</b>						
	22,0	13,0-17,0	<b>6022</b>						
	26,0	17,0-20,0	<b>6026</b>						
	30,0	20,0-24,0	<b>6030</b>						



**Aluminium** [AlMg2,5/3,5]  
Polished



**Steel**  
Zinc plated



## open type | dome head

$\emptyset d$	$l$		Item nr.	$\emptyset d_k$	$k$	$\emptyset d_m$	$p$		
[mm]	[mm]	[mm]		[mm]	[mm]	[mm]	[mm]	[N]	[N]
<b>6,4</b>	10,0	0,0-2,5	<b>10316410</b>						
[+0,08/-0,15]	12,0	4,0-6,0	<b>6412</b>						
	15,0	6,0-9,0	<b>6415</b>						
$\emptyset 6,5$	18,0	9,0-13,0	<b>6418</b>	13,0	1,8	~3,85	≥31	4.090	3.120
	22,0	13,0-16,0	<b>6422</b>	[+0/-1,5]	[+/- 0,4]				
	26,0	16,0-20,0	<b>6426</b>						
	30,0	18,0-24,0	<b>6430</b>						